

CERTIFICATE OF COMPLIANCE

Certificate Number 20120427-E216430
Report Reference E216430-20010326
Issue Date 2012-APRIL-26


Issued to: **RESOLUX**
TJOERNEVEJ 6
5853 OERBAEK, DENMARK

This is to certify that representative samples of **FLUORESCENT SURFACE MOUNTED LUMINAIRES**
General Coverage

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Luminaires – UL 1598
Luminaires – CSA C22.2 No. 250.0-08

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada. The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers:  the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



INDEX

*

Model	Section	Report Date	Approvals
Fluorescent Luminaires, Models RESOLUX-IP65-UL followed by additional numbers to indicate wattage and number of lamps	1	2001-03-26	B

Approval Abbreviation:

- A - Evaluated to United States Standards Only - Listed
- B - Evaluated to United States and Canadian National Standards - Listed
- C - Evaluated to Canadian National Standards Only - Listed

DESCRIPTION

PRODUCT COVERED:

USL/CNL - Fluorescent Luminaires, Models RESOLUX-IP65-UL followed by additional numbers to indicate wattage and number of lamps. See table below for Details.

Model	Watts	Lamps	
RESOLUX-IP65-UL 1x17W	17	1	
RESOLUX-IP65-UL 2x17W	2x17	2	
RESOLUX-IP65-UL 1x32W	32	1	
RESOLUX-IP65-UL 2x32W	2x32	2	
RESOLUX-IP65-UL 2x17W	2x17	2	AS 2x17 but with two separate ballast.
RESOLUX-IP65-UL 1x18W	18	1	
RESOLUX-IP65-UL 2x18W	2x18	2	
RESOLUX-IP65-UL 1x36W	36	1	
RESOLUX-IP65-UL 2x36W	2x36	2	
RESOLUX-IP65-UL 2x18W	2x18	2	AS 2x18W but with two separate ballast.
RESOLUX-IP65-UL 1x17W-HE	17	1	With heating element
RESOLUX-IP65-UL 2x17W-HE	2x17	2	same as above
RESOLUX-IP65-UL 1x32W-HE	32	1	same as above
RESOLUX-IP65-UL 2x32W-HE	2x32	2	same as above
RESOLUX-IP65-UL 1x18W-HE	18	1	same as above
RESOLUX-IP65-UL 2x18W-HE	2x18	2	same as above
RESOLUX-IP65-UL 1x36W-HE	36	1	same as above
RESOLUX-IP65-UL 2x36W-HE	2x36	2	same as above
RESOLUX-IP65-UL 1x17W-EI	17	1	With emergency illumination
RESOLUX-IP65-UL 2x17W-EI	2x17	2	same as above
RESOLUX-IP65-UL 1x32W-EI	32	1	same as above
RESOLUX-IP65-UL 2x32W-EI	2x32	2	same as above
RESOLUX-IP65-UL 1x18W-EI	18	1	same as above
RESOLUX-IP65-UL 2x18W-EI	2x18	2	same as above
RESOLUX-IP65-UL 1x36W-EI	36	1	same as above
RESOLUX-IP65-UL 2x36W-EI	2x36	2	same as above
RESOLUX-IP65-UL 1x17W-HE+EI	17	1	With heating element and emergency illumination
RESOLUX-IP65-UL 2x17W-HE+EI	2x17	2	same as above
RESOLUX-IP65-UL 1x32W-HE+EI	32	1	same as above
RESOLUX-IP65-UL 2x32W-HE+EI	2x32	2	same as above
RESOLUX-IP65-UL 1x18W-HE+EI	18	1	same as above
RESOLUX-IP65-UL 2x18W-HE+EI	2x18	2	same as above
RESOLUX-IP65-UL 1x36W-HE+EI	36	1	same as above
RESOLUX-IP65-UL 2x36W-HE+EI	2x36	2	same as above

*